



FLZ 集装箱式机械密封 FLZ Model Mechanical seal series

主要技术参数

被密封介质: 整体式, 弹簧采用保护结构
 特点: 安装方便, 适用于发电厂气体
 脱硫系统净化装置。
 被密封介质: 含颗粒污水, 造纸废水,
 密封腔压力: $\leq 2.4\text{Mpa}$
 密封腔温度: $\leq 80^{\circ}\text{C}$
 线速度: $\leq 15\text{m/Sec}$

MAIN CHARACTERISTICS

Mediums to be sealed: waste water containing pellet
 and other industry sewage liquids.
 Pressure in the sealed chamber: $\leq 2.4\text{Mpa}$
 Temperature in the sealed chamber: $\leq 80^{\circ}\text{C}$
 Linear velocity: $\leq 15\text{m/Sec}$

| 尺寸 Size 规格 Spe | d | D | D1 | d _{1max} | d _{1max} | d ₃ | d ₄ | d ₅ | L | L ₁ | L ₂ | L ₃ | n |
|-------------------|-----|-----|-----|-------------------|-------------------|----------------|----------------|----------------|----|----------------|----------------|----------------|----|
| | | | | | | | | | | | | | |
| FLZ-25 | 25 | 105 | 85 | 48 | 51 | 65 | 14 | G3/8 | 80 | 30 | 50 | 28 | 4 |
| FLZ-30 | 30 | 115 | 95 | 56 | 60 | 75 | | | 80 | 30 | 50 | 28 | 4 |
| FLZ-35 | 35 | 120 | 100 | 61 | 65 | 80 | | | 80 | 30 | 50 | 28 | 4 |
| FLZ-40 | 40 | 125 | 105 | 66 | 70 | 90 | | | 80 | 30 | 50 | 28 | 4 |
| FLZ-45 | 45 | 135 | 115 | 71 | 75 | 95 | | | 85 | 30 | 55 | 28 | 4 |
| FLZ-50 | 50 | 140 | 120 | 80 | 85 | 100 | | | 85 | 30 | 55 | 28 | 4 |
| FLZ-55 | 55 | 150 | 130 | 85 | 90 | 110 | | | 85 | 30 | 55 | 28 | 4 |
| FLZ-60 | 60 | 168 | 140 | 90 | 95 | 115 | 18 | G1/2 | 95 | 35 | 60 | 33 | 4 |
| FLZ-65 | 65 | 178 | 150 | 99 | 104 | 125 | | | 95 | 35 | 60 | 33 | 4 |
| FLZ-70 | 70 | 183 | 155 | 104 | 109 | 130 | | | 95 | 35 | 60 | 33 | 4 |
| FLZ-75 | 75 | 188 | 160 | 109 | 114 | 135 | | | 95 | 35 | 60 | 33 | 4 |
| FLZ-80 | 80 | 193 | 165 | 114 | 119 | 140 | | | 95 | 35 | 60 | 33 | 4 |
| FLZ-85 | 85 | 198 | 170 | 119 | 124 | 145 | | | 95 | 35 | 60 | 33 | 4 |
| FLZ-90 | 90 | 218 | 185 | 124 | 129 | 150 | | | 22 | G1/2 | 105 | 40 | 65 |
| FLZ-100 | 100 | 228 | 195 | 138 | 144 | 165 | 105 | 40 | | | 65 | 33 | 4 |
| FLZ-110 | 110 | 238 | 205 | 148 | 154 | 175 | 105 | 40 | | | 65 | 33 | 4 |
| FLZ-120 | 120 | 248 | 215 | 153 | 160 | 185 | 105 | 40 | | | 65 | 33 | 4 |